

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 4 :</b> <b>A61K 7/50, 7/48, 9/10</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 88/ 06034</b> <b>(43) International Publication Date:</b> 25 August 1988 (25.08.88)
<b>(21) International Application Number:</b> PCT/US88/00385 <b>(22) International Filing Date:</b> 12 February 1988 (12.02.88) <b>(31) Priority Application Number:</b> 014,302 <b>(32) Priority Date:</b> 13 February 1987 (13.02.87) <b>(33) Priority Country:</b> US <b>(71)(72) Applicant and Inventor:</b> FIASCHETTI, Mary, Gemma [US/US]; 12206 Cedar Gap Lane, Houston, TX 77072 (US). <b>(74) Agent:</b> GESS, E., Joseph; Burns, Doane, Swecker & Mathis, P.O. Box 1404, Alexandria, VA 22313-1404 (US). <b>(81) Designated States:</b> AT (European patent), BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent).		<b>Published</b> <i>With international search report.</i>

**(54) Title:** DERMAL COSMETIC COMPOSITION AND APPLICATIONS THEREFOR**(57) Abstract**

Cosmetic composition which beautifies and moisturizes the skin of a human being. The composition may also have therapeutic effects on the human skin such as the removal of lines or wrinkles, dissolution of fat pockets, the removal of bags under the eyes, and the closing of pores or gaps in the skin to render a smooth uniform appearance. The composition is comprised of seven basic ingredients, which include: live yeast cells, selenium, carotene, RNA, DNA, water and albumen. These core ingredients generally make up from about 80 % to 100 % of the composition used in the treatment, and are the basis for the advantages realized thereby. Significant and long-lasting results are particularly achieved upon application of the composition to the human skin with exposure to sunlight.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

-1-

DERMAL COSMETIC COMPOSITION  
AND APPLICATIONS THEREFOR

BACKGROUND OF THE INVENTION

Field of the Invention:

5 This invention relates to a dermal cosmetic composition useful in the beautification and moisturization of human skin. The present invention also relates to a method of applying the composition in order to effect such cosmetic results. The present invention also relates to a composition useful in  
10 achieving therapeutic effects with regard to skin disorders. The present invention also relates to a method of applying and using such a therapeutic composition.

Description of the Prior Art:

15 Many different compositions are available for the beautification of skin and/or the therapeutic treatment of skin disorders. The components of these compositions are many and vary greatly from composition to composition. Different combinations of components  
20 are continuously tried in order to achieve specific desired results.

25 The use of metals, for example, is well known to effect beneficial therapeutic results. See, e.g., U.S. Patent No. 4,340,590, wherein the use of selenium containing compounds exhibit therapeutic benefits in mammal hosts. The use of selenium and vitamin E has also been reported to have a beneficial effect in the relief of arthritis and tendonitis. The combination of selenium and carotene has also been found to be

-2-

beneficial in negating the effects of carcinogens.  
See, e.g., U.S. Patent No. 4,599,234.

5 In general, however, the various combinations  
of components used in beautifying compositions have  
heretofore not been totally satisfactory in providing  
the proverbial fountain of youth. The search for a  
dermal cosmetic composition which can beautify and  
moisturize the skin and lend to it a youthful glow, as  
10 well as possibly achieving the elimination of pock  
marks, gaps, wrinkles, etc., is continuously ongoing.  
Different alternatives are constantly flooding the  
market. The existence of a dermal composition which  
could also reduce undesirable scar tissue, extended  
15 birthmarks, recessions in the skin, as well as treat  
skin disorders such as psoriasis and eczema, would also  
be of great benefit to the public welfare. The  
reduction and alleviation of such skin defects would  
certainly be a desirable result.

20 Accordingly, there is provided by the present  
invention a dermal cosmetic composition which is novel  
and which cosmetically beautifies and moisturizes the  
skin.

25 Another object of the present invention is to  
provide a method for applying such a novel cosmetic  
composition in a manner so as to elicit its cosmetic  
benefits.

Another object of the present invention is to  
provide a composition which can treat undesirable skin  
disorders effectively and efficiently.

30 Still another object of the present invention  
is to provide a method for the application of such a  
composition in order to effect such therapeutic  
results.

-3-

These and other objects, as well as the scope, nature and utilization of the invention, will be apparent to those skilled in the art from the following description and the appended claims.

5

#### SUMMARY OF THE INVENTION

In accordance with the foregoing objectives, provided herewith is a composition comprised of seven ingredients, i.e., live yeast cells, selenium, carotene, RNA, DNA, water and albumen. This basic composition can be used alone or in combination with other components such as amino acids, vitamins and minerals. The particular combination of supplemental ingredients with the basic composition can be varied depending on the particular effect desired to be elicited, e.g., whether purely cosmetic or therapeutic in nature.

15

20

The method of treatment involving the composition comprises merely smoothing the formulated composition over that area to be treated, preferably in a multi-layer, e.g., three layer application, and allowing the composition to remain in place. The composition is then removed after the desired length of time.

25

30

In a most preferred embodiment, the composition is exposed to sunlight, whether artificial or natural, for a period of time after application. This period of time is generally in the range of from 15 to about 60 minutes. While the exposure to the sunlight is not necessary in order to enjoy the benefits of the present invention, the exposure does surprisingly increase the benefits of the composition with regard to the extent, significance, and lasting effect of the results of the treatment.

-4-

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The seven components of the basic composition of the present invention for use in the treatment of skin comprises live yeast cells (preferably  
 5 *saccharomyces cerevisial*), selenium (preferably powdered), carotene (beta), RNA, DNA, water and albumen. While any combination of the foregoing components in amounts sufficient to provide a composition beneficial for dermal application is  
 10 contemplated within the present invention, it has been found that beneficial results are obtained when the seven components are combined in the following preferred, and particularly most preferred, amounts:

		<u>Preferred</u>	<u>Most Preferred</u>
15	Live yeast cells ( <i>saccharomyces cerevisial</i> )	5-8 parts	about 6 parts
	Selenium (powdered)	1/4-3/4 parts	about 1/2 part
	Carotene (beta)	3/4-1 1/2 part	about 1 part
20	RNA	2-4 parts	about 3 parts
	DNA	1-3 parts	about 2 parts
	Water	2-6 parts	about 3 parts
	Albumen	3/4-2 1/2 parts	about 1 part

25 This basic composition is particularly beneficial in eliciting cosmetic effects in the skin, particularly when applied to the face of a human. The composition moisturizes and beautifies the skin, thus resulting in an even coloration and glow of the skin. The amounts  
 30 of the components used in any particular composition, of course, can be altered to suit the particular skin.

-5-

to which it is applied, with the skin of all humans being somewhat different. Generally, however, it has been found that when the components are used within the amounts described above, beneficial cosmetic effects are achieved upon dermal application.

Depending on the particular amount of components used in the basic composition, therapeutic effects can also be elicited upon dermal application of the composition. Such therapeutic dermal effects can include the removal of lines or wrinkles, the dissolution of fat pockets, the removal of bags under the eyes, the closing of pores or gaps in the skin to render a smooth uniform appearance, the treatment of psoriasis and eczema, as well as a substantial reduction or alleviation of scars and birthmarks. Again, the particular amounts of components employed in any composition suitable for a particular person will differ from person to person.

The method for employing the composition in the treatment of skin is simply the application of the composition to the area which requires treatment. Upon allowing the composition to remain on that area for the desired length of time, i.e., that time sufficient to elicit the cosmetic and/or therapeutic effects desired, the composition is then removed. In a most preferred embodiment, the composition can be applied in layers, whether two or three or more layers. For example, the first layer can be applied as a very thin layer with the composition actually being massaged into the skin during application. A second layer can then be applied as a thin covering layer over the area to be treated, with a third and final layer then being used to totally cover the skin. In general, the length of time of any one treatment runs from 15 to about 60 minutes in

-6-

length, however longer periods or shorter periods of time can be used if appropriate, and of course will depend on the particular case involved. The length of time in general will vary from person to person being treated. It is most preferred, however, that the length of treatment be in the range of from about 20 to 40 minutes. Removal of the composition is accomplished simply by wiping off the composition with a suitable cloth or other aid which facilitates the removal. This treatment is repeated periodically as desired or necessary.

In a most preferred embodiment, the composition, after application to the skin, is exposed to sunlight. This exposure can be for a specific length of time within the total treatment time, but can also be for the duration of the treatment time. The exposure to sunlight, therefore, generally comprises a length of time ranging from 15 to about 60 minutes, with an exposure of from about 20 to 25 minutes being most preferred. The sunlight employed can be natural sunlight or any suitable artificial sunlight. This exposure to light apparently activates the composition in such a manner, in a sense working or acting as a catalyst, to provide beneficial results in a shorter period of time, and with the results being more significant and longer lasting than if sunlight exposure was omitted. Upon exposure to sunlight, the quality, impact, degree of change and consistency of effect for any individual is greatly increased over a treatment without exposure to sunlight.

In addition to the base composition, various additional ingredients can be added to the composition. Among these ingredients are various amino acids, vitamins and minerals. These additional ingredients



-7-

can be added in order to supplement the beneficial effects which are obtained from the base composition. The amounts of these additional ingredients can vary greatly, and will depend upon the specific result one wishes to elicit and the type of skin to which the composition will be applied.

In general, when additional ingredients are added to the base composition, the base composition does comprise at least 80% of the overall composition, with the additional ingredients comprising the remaining 20%. It is more preferred that the base composition comprise at least 85%, and most preferably 90% of the overall composition, with the additional supplemental ingredients comprising the remaining 15%, and most preferably 10%. All of the ingredients can be mixed together by conventional mixing means, and all of the ingredients including those of the base composition are commercially available on the open market.

Of the additional ingredients which can be added and have been found to be beneficial as supplemental ingredients to the base composition, the following are examples:

	Alanine	Folic acid
	Arginine	Vitamin B <sub>1</sub>
25	Aspartic acid	Vitamin B <sub>2</sub>
	Serine	Niacin
	Threonine	Vitamin B <sub>6</sub>
	Tryptophane	Vitamin B <sub>12</sub>
	Tyrosine	Biotin
30	Valine	Pantothenic acid
	Glutamic acid	Choline
	Glycerine	Inositol
	Isoleucine	Para-amino Benzoic acid
35	Proline	Bee Pollen
	Phenylalanine	Evening Oil of Primrose
	Methionine	Aloe Vera
	Histidine	Vitamin K
40	Leucine	Chromium

Lysine  
Cystine  
Copper  
Calcium

Vitamin E  
Vitamin C  
Magnesium

5 Once the additional or supplemental ingredients are added to the base composition, the overall composition used in the treatment may be applied as described above, with exposure to sunlight also being most preferred during the treatment.

10 The following examples are given as specific illustrations of the claimed invention. It should be understood, however, that the specific details set forth in the examples are merely illustrative and in nowise limitative. All parts and percentages in the  
15 examples and the remainder of the specification are by weight unless otherwise specified.

In preparing the composition used in the following examples, various batch compositions were first prepared as follows using commercially available  
20 ingredients:

#### BASIC COMPOSITION

Live yeast cells (saccharomyces cerevisial)	about 6 parts
Selenium (powdered)	about 1/2 part
25 Carotene (beta)	about 1 part
RNA	about 3 parts
DNA	about 2 parts
Water	about 3 parts
Albumen	about 1 part

-9-

AMINO ACID CONTAINING COMPOSITION

	Alanine	1.992 g.
	Arginine	1.272 g.
	Aspartic acid	2.802 g.
5	Serine	1.464 g.
	Threonine	1.314 g.
	Tryptophane	.378 g.
	Tyrosine	.810 g.
	Valine	1.584 g.
10	Glutamic acid	4.476 g.
	Glycine	1.338 g.
	Isoleucine	1.320 g.
	Proline	.822 g.
	Phenylalanine	1.206 g.
15	Methionine	.438 g.
	Histidine	.672 g.
	Leucine	1.974 g.
	Lysine	2.178 g.
	Cystine	162 g.

-10-

VITAMIN CONTAINING COMPOSITION

	Folic acid	.108 g.
	Vitamin B <sub>1</sub>	.002 g.
	Vitamin B <sub>2</sub>	.0025 g.
5	Niacin	.018 g.
	Vitamin B <sub>6</sub>	.950 g.
	Vitamin B <sub>12</sub>	.0003 g.
	Biotin	.03 g.
	Pantothenic acid	1.2 g.
10	Choline	.230 g.
	Inositol	.190 g.
	Para-amino Benzoic acid	.0015 g.

SUPPLEMENTAL COMPOSITION

	Bee Pollen	420 g.
15	Evening Oil of Primrose	210 g.
	Aloe Vera	75 ml.

EXAMPLE 1

The left forearm of a Caucasian male, age 42, of medium dark complexion was treated with a composition comprising 9 parts by weight of the basic composition, 1/2 part of the amino acid-containing composition and 1/2 part by weight of the vitamin containing composition. The area of treatment was a small keloid or scar, approximately 1.4 centimeters long. The patient was treated for three days, one treatment each day. Each treatment consisted of the application of three separate layers as follows: The first layer was an extremely thin layer with the composition being massaged into the forearm, the next layer was applied so that it would cover the skin area to be treated, and

-11-

the third layer was applied as a relatively thick layer to totally cover the area to be treated. The applied composition was then exposed to artificial sunlight for 20 to 25 minutes. After exposure, the composition was removed from the skin.

The results of the treatment were that the keloid was reduced to epidermis level with a natural skin surface appearance, and the majority of discoloration was gone from the treated area.

#### EXAMPLE 2

A composition such as that used in Example 1 was applied to the facial skin of a 27 year old Caucasian female of fair complexion. Prior to treatment, the skin was of uneven texture and color, with the beginnings of lines in the eye area and laugh lines around the mouth. The same treatment as in Example 1 was used for three months on a continuous basis, at a frequency of once each day the first month and two times per week the last two months.

Subsequent to the three month treatment, the woman's skin indicated a drastic change in texture. The coloring and youthful glow of the skin was restored, the lines in the eye area and around the mouth were no longer visible. The clarity and tone plus firmness and softness, had essentially returned to the skin.

#### EXAMPLE 3

A composition such as that used in Examples 1 and 2 was applied to the facial skin of a female Caucasian, age 49, having a dark complexion. Prior to the treatment, lines were prominent around the eye area and mouth, dark circles were apparent under the eyes

-12-

and poor muscle tone was evident in the facial area. The entire treatment time lasted for six months, with one treatment per day for the first month and then two treatments per week for the last five months.

5 A change, however, began almost immediately in the appearance of the skin. Within 48 hours (two treatments) the dark circles disappeared from under the eyes. By the fifth treatment (the end of the first week) both the muscle tone and skin improved  
10 considerably. As well, no lines were visible anywhere on the face and the entire face took on a new glow and transparency.

#### EXAMPLE 4

15 A composition was prepared using 8 1/2 parts by weight of the basic composition, 1/2 part by weight of the amino acid containing composition, 1/2 part by weight of the vitamin containing composition and 1/2 part by weight of the supplemental composition. This composition was used in a treatment of an 80 year old  
20 female Caucasian, having a fair complexion. Prior to the treatment, the woman's face exhibited extreme sagging in the skin, the eyes were very much affected due to a depletion of skin elasticity and the natural aging process and could not be completely closed except  
25 when lying down. There were heavy, deep set lines around the eyes, mouth, forehead, neck and chin. The tone of the muscles and skin was also very bad.

30 Five treatments were administered within a period of four days. Each treatment was as that described in Example 1. A rapid change was noticed in the skin with the treatments. The skin around the eye area was completely reversed and the gap between the lower eye socket and the mucus membrane was completely

-13-

sealed together. Most of the lines disappeared, the skin became 75% firmer than before the treatment and much of the sagging was eliminated. The coloring of the skin was also much more even. Overall, the entire face took on a glow and had a much more youthful appearance.

EXAMPLE 5

A composition such as that prepared in Example 4 was applied to the skin of a 45 year old Caucasian female having a fair complexion, some freckles, and dry skin. The application of the composition was made to the face, chest, neck and breasts. Prior to the treatment, fatty pockets were evident under the eyes, deep set lines were apparent under and at the side of the eyes, the woman's coloring and texture was uneven and there was cracking of the and lower lips at the borders of the mouth. As well, generally poor muscle and skin tone was apparent.

The woman was treated for five consecutive days, one treatment each day. Each treatment consisted of 45 minutes to one hour, with the composition then being removed. The change in the complexion and skin was quite evident. The bags under the eyes and the sagging skin was completely reversed, with the fatty pockets under the eyes being gone. The treatment to the chest, neck and upper breasts produced the same results. The lines and gaps, as well as the cracks around the mouth, were not detectable and the texture of the skin was greatly improved.

EXAMPLE 6

A composition such as that used in Example 1 was applied in the treatment of a 38 year old Caucasian

female, having fair coloring, freckles and red hair. The problems evident in the skin of the woman were dry blotched areas, deep set smile lines around the mouth, as well as in the corners of the eyes and underneath the eyes. The skin tone was very poor as well. The overall treatment lasted about seven weeks. The initial treatment was four consecutive days with one application a day, followed by treatments every other day for two weeks, and then twice a week for a month.

The results of the treatment were that other than some hair-line traces under the eye area, all other lines were essentially gone. No visible traces were left even after two weeks. The tone was significantly improved and a skin texture equivalent to a female in her mid-20's was achieved.

#### EXAMPLE 7

A composition comprised of only the basic composition components was used in the treatment of an 18 year old Caucasian male. The treatment was of a scar approximately nine centimeters in length, with thick gatherings of excess scar tissue. The treatment lasted three weeks and consisted of treatments once a day for the first two weeks, and twice a day for the third week. Upon application of the composition as in Example 1, the treated area was exposed to natural sunlight for a period of time ranging from 20 to 45 minutes.

The results of the treatment were that the scar tissue was essentially removed and that all discoloration in that area was gone.

#### EXAMPLE 8



-15-

5 A formulation comprising 8 1/2 parts by weight of the basic composition, 1/2 part by weight of the amino acid containing composition, 1/2 part by weight of the vitamin containing composition and 1/2 part by weight of the supplemental composition was used in the treatment of an elderly lady having extensive sagging and wrinkling around the eyes. The treatments were as disclosed in Example 1, and occurred once a day for two weeks, with the exposure being to natural  
10 sunlight for a period of time of about 40 minutes each day. After the two week treatment, the majority of wrinkles and sagging around the eyes had been reversed.

#### EXAMPLE 9

15 In this example, a middle aged male of about 46 years was treated for extensive swelling of the lower eyelids and large pockets of fat and fluid buildup underneath the eyes. The client had been on regular doses of cortisone. The formulation used comprised the basic composition ingredients, 9 parts by  
20 weight, and 1 part by weight of the supplemental composition, along with 2.1 milligrams of calcium, 60 milligrams of magnesium, 18 milligrams of niacin and 5.7 milligrams of copper. The formulation was applied once a day, with the applied formulation being exposed  
25 to natural sunlight for a period of about 25 minutes. As the treatment progressed, the extensive swelling was reduced and the large pockets of fat and fluid buildup under the eyes were also noticeably reduced.

\* \* \*

30 Thus, from the foregoing, it can be seen that by using the basic composition, either alone or in

-16-

combination with the various other ingredients, very beneficial cosmetic, as well as therapeutic, results can be elicited with regard to problem skin disorders. In all of the Examples, an exposure to sunlight or artificial sunlight was employed. This has been found to be most beneficial. Without the exposure, however, the benefits would as well be achieved, but not nearly as fast, as significant or as long lasting.

Although the invention has been described with preferred embodiments, it is to be understood that variations and modifications may be resorted to as will be apparent to those skilled in the art. Such variations and modifications are to be considered within the purview and the scope of the claims appended hereto.

-17-

CLAIMS:

- 1           1. A composition of matter useful for dermal  
2 application, which comprises cosmetic or therapeutic  
3 eliciting amounts of the following components:  
4           live yeast cells,  
5           selenium,  
6           carotene,  
7           RNA,  
8           DNA,  
9           water and  
10          albumen.
- 1           2. The composition of Claim 1 wherein the live  
2 yeast cells are saccharomyces cerevisial and the  
3 selenium is of a finely powdered form.
- 1           3. The composition of Claim 1, wherein the amount  
2 of each component in parts by weight is in the range of
- 3           live yeast cells - about 5 to about 8 parts  
4           selenium           - about 1/4 to about 3/4 part  
5           carotene           - about 3/4 to about 1 1/2  
6          parts  
7           RNA                - about 2 to about 4 parts  
8           DNA                - about 1 to about 3 parts  
9           water              - about 2 to about 6 parts  
10          albumen            - about 3/4 to about 2 1/2  
11           parts.
- 1           4. The composition of Claim 3, wherein the  
2 composition comprises about 6 parts live yeast cells,  
3 about 1/2 part selenium, about 1 part carotene, about 3  
4 parts RNA, about 2 parts DNA, about 3 parts water and 1  
5 part albumen.

-18-

1           5. The composition of Claim 4, wherein the live  
2 yeast cells are saccharomyces cerevisial and the  
3 selenium is finely powdered.

1           6. The composition of Claim 1, wherein the  
2 composition further comprises at least one of the  
3 following supplemental ingredients:

4	Alanine	Folic acid
5	Arginine	Vitamin B <sub>1</sub>
6	Aspartic acid	Vitamin B <sub>2</sub>
7	Serine	Niacin
8	Threonine	Vitamin B <sub>6</sub>
9	Tryptophane	Vitamin B <sub>12</sub>
10	Tyrosine	Biotin
11	Valine	Pantothenic acid
12	Glutamic acid	Choline
13	Glycerine	Inositol
14	Isoleucine	Para-amino Benzoic acid
15		
16	Proline	Bee Pollen
17	Phenylalaine	Evening Oil of
18		Primrose
19	Methionine	Aloe Vera
20	Histidine	Vitamin K
21	Leucine	Chromium
22	Lysine	Vitamin E
23	Cystine	Vitamin C
24	Copper	Magnesium
25	Calcium.	

1           7. The composition of Claim 6, wherein the  
2 supplemental ingredients comprise from 5 to about 20  
percent by weight of the entire composition.

-19-

1           8. The composition of Claim 1, wherein the  
2 composition further comprises a confirmation of the  
3 following supplemental ingredients in an amount of less  
4 than about 20 percent by weight of the total  
5 composition:

6           Alanine	Glycine
7           Arginine	Isoleucine
8           Aspartic acid	Proline
9           Serine	Phenylalanine
10          Threonine	Methionine
11          Tryptophane	Histidine
12          Tyrosine	Leucine
13          Valine	Lysine
14          Glutamic acid	Cystine.

1           9. The composition of Claim 1, wherein the  
2 composition further comprises a combination of the  
3 following supplemental ingredients in an amount of less  
4 than about 20 percent by weight of the total  
5 composition:

6           Folic acid  
7           Vitamin B<sub>1</sub>  
8           Vitamin B<sub>2</sub>  
9           Niacin  
10          Vitamin B<sub>6</sub>  
11          Vitamin B<sub>12</sub>  
12          Biotin  
13          Pantothenic acid  
14          Choline  
15          Inositol  
16          Para-amino Benzoic acid.

1           10. The composition of Claim 1, wherein the  
2 composition further comprises a combination of the

-20-

3 following supplemental ingredients in an amount of less  
4 than about 20 percent by weight of the total  
5 composition:

6 Bee Pollen  
7 Evening Oil of Primrose  
8 Aloe Vera.

1 11. The composition of Claim 1, wherein the  
2 composition comprises 8 1/2 parts by weight of  
3 live yeast cells,  
4 selenium,  
5 carotene,  
6 RNA,  
7 DNA,  
8 water and  
9 albumen;

10 and further comprises 1/2 part by weight of a  
11 combination of the following components:

12 Alanine	Glycine
13 Arginine	Isoleucine
14 Aspartic acid	Proline
15 Serine	Phenylalanine
16 Threonine	Methionine
17 Tryptophane	Histidine
18 Tyrosine	Leucine
19 Valine	Lysine
20 Glutamic acid	Cystine

21 1/2 part by weight of a combination of the following  
22 components:

23 Folic acid  
24 Vitamin B<sub>1</sub>  
25 Vitamin B<sub>2</sub>  
26 Niacin  
27 Vitamin B<sub>6</sub>

-21-

28 Vitamin B<sub>12</sub>  
29 Biotin  
30 Pantothenic acid  
31 Choline  
32 Inositol  
33 Para-amino Benzoic acid  
34 and 1/2 part by weight of a combination of the  
35 following components:  
36 Bee Pollen  
37 Evening Oil of Primrose  
38 Aloe Vera.

1 12. A method for treating the skin which comprises  
2 applying the composition of Claim 1 to the area of skin  
3 to be treated for a sufficient length of time to elicit  
4 its cosmetic or therapeutic beneficial results,  
5 removing the composition, and then repeating the  
6 application periodically.

1 13. The method of Claim 12, wherein the  
2 composition is exposed to natural or artificial  
3 sunlight subsequent to the application of the  
4 composition to the area of skin to be treated.

1 14. The method of claim 13, wherein the duration  
2 of the exposure is in the range of from about 15  
3 minutes to about 60 minutes.

1 15. The method of Claim 13, wherein the duration  
2 of the exposure is in the range of from about 20 to 25  
3 minutes.

1 16. The method of Claim 13, wherein the  
2 composition is applied in several layers.

-22-

1           17. The method of Claim 16, wherein the  
2 composition was applied in three layers,  
3           the first layer being applied as a thin layer which  
4 is massaged into the area of the skin to be treated;  
5           the second layer being applied so that the  
6 composition thinly covers the skin area to be treated,  
7 and  
8           the third layer being applied so that the  
9 composition provides a thick cover over the area of the  
10 skin to be treated.



# INTERNATIONAL SEARCH REPORT

International Application No. PCT/US88/00385

## I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) \*

According to International Patent Classification (IPC) or to both National Classification and IPC

IPC(4): A61K 7/50, A61K 7/48, A61K 9/10

U.S.C1.: 514/776, 514/783, 514/844 514/847

## II. FIELDS SEARCHED

Minimum Documentation Searched 7.

Classification System	Classification Symbols
U.S.	514/776, 514/783, 514/844, 514/847

Documentation Searched other than Minimum Documentation  
to the Extent that such Documents are Included in the Fields Searched \*

## III. DOCUMENTS CONSIDERED TO BE RELEVANT \*

Category *	Citation of Document, 11 with indication, where appropriate, of the relevant passages 12	Relevant to Claim No. 13
X	U.S., A, 4,507,279, (OKUYAMA ET AL.), 26 March 1985, column 2, lines 22 to 55.	1 to 17
X	DE, A, 2,617,919, (ETIENNE) 11 November 1976, page 7, lines 9 to 28.	1 to 17
X	WO 84/03835, A, (DURAFFOURD), 11 October 1984, page 5, lines 20 to 35.	1 to 17
X	N, Chemical Abstracts, issued 24 July 1978, (Columbus, Ohio, U.S.A.) Vol. 89, page 392, column 2, Abstract No. 30599g Yosio Hironaka et al, Facial Cleansing Lotions Containing Yeasts.	1 to 17
X	N, Chemical Abstracts, issued 28 October 1985, (Columbus, Ohio, U.S.A.) Vol. 103, page 585, column 2, Abstract No. 140301u Tilak Nagodawithana, Selenium Yeast Production.	1 to 17

\* Special categories of cited documents: 10

"A" document defining the general state of the art which is not  
considered to be of particular relevance

"E" earlier document but published on or after the international  
filing date

"L" document which may throw doubts on priority claim(s) or  
which is cited to establish the publication date of another  
citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or  
other means

"P" document published prior to the international filing date but  
later than the priority date claimed

"T" later document published after the international filing date  
or priority date and not in conflict with the application but  
cited to understand the principle or theory underlying the  
invention

"X" document of particular relevance; the claimed invention  
cannot be considered novel or cannot be considered to  
involve an inventive step

"Y" document of particular relevance; the claimed invention  
cannot be considered to involve an inventive step when the  
document is combined with one or more other such docu-  
ments, such combination being obvious to a person skilled  
in the art.

"&" document member of the same patent family

## IV. CERTIFICATION

Date of the Actual Completion of the International Search

27 APRIL 1988

International Searching Authority

ISA/US

Date of Mailing of this International Search Report

09 MAY 1988

Signature of Authorized Officer

DALE ORE